INDEX TO
EXPERIMENTAL MECHANICS
Volume 20, 1980

SUBJECT INDEX

Acoustic-emission Technique, A Feasibility Study of Detecting Reinforcing-bar Debonding by — A. S. Kobayashi, N. M. Hawkins, Y-L A. Chan and I-J Lin, 301-308 (Sept.).

Acoustical-speckle Interferometry — J. A. Schaeffel, W. F. Ranson and W. F. Swinson, 109-117 (Apr.).

Application of Finite-element Method to the Analysis of High-capacity Laminated Elastomeric Parts — B. P. Gupta and R. H. Finney, 103-108 (Mar.).

Application of the Least-squares Method to Photoelastic Analysis — Robert J. Sanford, 192-197 (June).

Anisotropic Model Materials, Fabrication of Birefringent — Ramamurthy Prabhakaran, 320-321 (Sept.).

Axial Loading of Composite Tubes, End-grip Configurations for — T. R. Guess and C. B. Haizlip, Jr., 31-36 (Jan.).

Behavior of Graphite/Epoxy Plates with Holes under Biaxial Loading — Isaac M. Daniel, 1-8 (Jan.).

Bending Strength of Gear Teeth, A New Look at the — I. M. Allison and E. J. Hearn, 217-225 (July).

Biaxial Loading, Behavior of Graphite/Epoxy Plates with Holes Under — Isaac M. Daniel, 1-8 (Jan.).

Biaxial Stresses on High-cycle Fatigue-crack Propagation, The Influence of — G. G. Garrett, P. R. G. Anderson and I. M. H. Charvat, 44-54 (Feb.).

Birefringent Anisotropic Model Materials, Fabrication of — Ramamurthy Prabhakaran, 320-321 (Sept.).

Birefringent-fluid-flow Method in Engineering — Hui Pih, 437-444 (Dec.).

Bleed Condenser, Photoelastic Investigation of a Channel Cover of — T. Narayanan, R. Narayanan and T. Sambandam, 309-315 (Sept.).

Combined Experimental and Numerical Method for the Solution of Generalized Elasticity Problems, A — Boris M. Barishpolsky, 345-349 (Oct.).

Combined-load Testing of the Space-shuttle Insulation at 1100°C — Michael F. Duggan, 350-356 (Oct.).

Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, A Dynamic Analysis of Modified — A. S. Kobayashi, K. Seo, J. Y. Jou and Y. Urabe, 73-79 (Mar.).

Complete Mechanical-property Characterization of a Single Composite Specimen, A — T. K. O'Brien and K. L. Reifsnider, 145-152 (May).

Composites, The Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced — J. M. Whitney and M. Knight, 211-216 (June).

Composite Materials, An Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to — R. Garcia, T. A. Weisshaar and R. R. McWhithey, 273-279 (Aug.).

Composite Materials, Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced — G. Waring, K. E. Hoffer Jr., I. Brown and R. E. Trabocco, 153-161 (May).

Composite Materials, Experimental Evaluation of the Slotted-tension Shear Test for — Michael F. Duggan, 232-239 (July).

Composite Plates, Response of, to Blast Loading — A. Rajamani and R. Prabhakaran, 245-250 (July).

Composite Specimen, A Complete Mechanical-property Characterization of a Single — T. K. O'Brien and K. L. Reifsnider, 145-152 (May).

Composite Tubes, End-grip Configurations for Axial Loading of — T. R. Guess and C. B. Haizlip, Jr., 31-36 (Jan.).

Cord-Rubber Composite, Interlaminar-shear Strain in a Two-ply Balanced — D. O. Stalnaker, R. H. Kennedy and J. L. Ford, 87-94 (Mar.).

Crack-path Directional Stability, An Experimental Investigation of — R. Streit and I. Finnie, 17-23 (Jan.).

Crack-tip Damage and Fracture Toughness of Borsic/Titanium Composite — J. Awerbuch and H. T. Hahn, 334-344 (Oct.).

Critical Evaluation of Numerical Solutions to the 'Benchmark' Surface-flaw Problem, A — Benchmark Editorial Committee of the SESA Fracture Committee, 253-264 (Aug.).

Deflection of Thin Plates with Overhang, The Large — H. C. Lee, C. K. Lim and H. D. Conway, 365-368 (Oct.).

Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced Composite Materials — G. Waring, K. E. Hoffer, Jr., I. Brown and R. E. Trabocco, 153-161 (May).

Designing with Scattered-light Photoelasticity — W. F. Swinson, J. L. Turner and W. F. Ranson, 397-402 (Nov.).

Determination of Strains in Photoelastic Coatings — A. J. Durelli and K. Rajaiah, 57-64 (Feb.).

Dynamic Analysis of Modified Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, A — A. S. Kobayashi, K. Seo, J. Y. Jou and Y. Urabe, 73-79 (Mar.).

Dynamic Method for the Determination of the Critical Load of Elastic Columns, A Nondestructive — A. Segall and M. Baruch, 285-288 (Aug.).

Dynamic Photoelasticity, An Introduction to — James W. Dally, 409-416 (Dec.).

Dynamic Strain Measurement, Temperature and Rise-time Effects on — W. J. Bagaria and W. N. Sharpe, Jr., 205-210 (June).

Dynamic Wave Propagation in a Single Lap Joint — L. W. Zachary and C. P. Burger, 162-166 (May).

Elastic Columns, A Nondestructive Dynamic Method for the Determination of the Critical Load of — A. Segall and M. Baruch, 285-288 (Aug.).

Elastic Response of Spherical Explosion-containment Vessels, Scaling Law for the — J. J. White, III and B. D. Trott, 174-177 (May).

Elasticity Problems, A Combined Experimental and Numerical Method for the Solution of Generalized — Boris M. Barishpolsky, 345-349 (Oct.).

Elastomeric Parts, Application of Finite-element Method to the Analysis of High-capacity Laminated — B. P. Gupta and R. H. Finney, 103-108 (Mar.).

Electrical Conductors While Under Tension, The Measurement of Flexural Stiffness of Multistranded — K. G. McConnell and W. P. Zempke, 198-204 (June).

Embedded Markers to Measure Strain in Extremely Soft Materials — Discussion by A. J. Durelli and K. Rajaiah, 251-252 (July).

End-grip Configurations for Axial Loading of Composite Tubes — T. R. Guess and C. B. Haizlip, Jr. 31-36 (Jan.).

Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to Composite Materials, An — R. Garcia, T. A. Weisshaar and R. R. McWhithey, 273-279 (Aug.).

Experimental Determination of K_I for Surface Cracks in a Square Tube Under Torsion — R. I. Stephens and G. Clinka, 24-30 (Jan.).

Experimental Evaluation of the Slotted-tension Shear Test for Composite Materials, An — Michael F. Duggan, 232-239 (July).

Experimental Investigation of Crack-path Directional Stability, An — R. Streit and I. Finnie, 17-23 (Jan.).

Failure of Unidirectional Fiber-reinforced Materials — New Methodology and Results — A. Voloshin and M. Arcan, 280-284 (Aug.).

Fatigue-crack Propagation, The Influence of Biaxial Stresses on High-cycle — G. G. Garrett, P. R. G. Anderson and I. M. H. Charvat, 44-54 (Feb.).

Fatigue-crack-tip Plastic Strains by the Stereo-imaging Technique — D. R. Williams, D. L. Davidson and J. Lankford, 134-139 (Apr.).

Fatigue Systems, Multi-specimen Fully Reversed, for Advanced Composite Materials, Design and Operation of — G. Waring, K. E. Hoffer, Jr., I. Brown and R. E. Trabocco, 153-161 (May).

Fatigue Testing of Riveted Joints, Resonant — Richard H. Marloff, 37-43 (Feb.).

Feasibility Study of Detecting Reinforcing-bar Debonding by Acoustic-emission Technique, A — A. S. Kobayashi, N. M. Hawkins, Y-L A. Chan and I-J Lin, 301-308 (Sept.).

Fiber-reinforced Materials—New Methodology and Results, Failure of Unidirectional — A. Voloshin and M. Arcan, 280-284 (Aug.).

Finite-element Method to the Analysis of High-capacity Laminated Elastomeric Parts, Application of — B. P. Gupta and R. H. Finney, 103-108 (Mar.).

Fluid Hopkinson Bar, The — Vernal K. Kenner, 226-232 (July).

Fracture Mechanics, Photoelasticity in — C. William Smith, 390-396 (Nov.).

Fracture Testing of PMMA Plates Having Flawed Fastener Holes, Static — T. E. Kullgren and F. W. Smith, 95-102 (Mar.).

Fracture Toughness of Borsic/Titanium Composite, Crack-tip Damage and — J. Awerbuch and H. T. Hahn, 334-344 (Oct.).

Fabrication of Birefringent Anisotropic Model Materials — Ramamurthy Prabhakaran, 320-321 (Sept.).

Gear Teeth, A New Look at the Bending Strength of — I. M. Allison and E. J. Hearn, 217-225 (July).

Geometrical Approach to Holographic Interferometry, A — W. J. Beranek and A. J. A. Bruinsma, 289-300 (Sept.).

Glass Composite, Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a — R. E. Rowlands, T. D. Dudderar, R. Prabhakaran and I. M. Daniel, 53-56 (Feb.).

Graphite/Epoxy Plates with Holes Under Biaxial Loading, Behavior of — Isaac M. Daniel, 1-8 (Jan.).

Holographic Interferometry, A Geometrical Approach to — W. J. Beranek and A. J. A. Bruinsma, 289-300 (Sept.).

Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a Glass Composite — R. E. Rowlands, T. D. Dudderar, R. Prabhakaran and I. M. Daniel, 53-56 (Feb.).

Holography, Focused-image, Localization of Fringes Produced by Rotation of the Recording Plate in — S. K. Chawla and C. A. Sciammarella, 240-244 (July).

INDEX

UMI

INDEX TO
EXPERIMENTAL MECHANICS
Volume 20, 1980

SUBJECT INDEX

Acoustic-emission Technique, A Feasibility Study of Detecting Reinforcing-bar Debonding by — A. S. Kobayashi, N. M. Hawkins, Y-L A. Chan and I-J Lin, 301-308 (Sept.).

Acoustical-speckle Interferometry — J. A. Schaeffel, W. F. Ranson and W. F. Swinson, 109-117 (Apr.).

Application of Finite-element Method to the Analysis of High-capacity Laminated Elastomeric Parts — B. P. Gupta and R. H. Finney, 103-108 (Mar.).

Application of the Least-squares Method to Photoelastic Analysis — Robert J. Sanford, 192-197 (June).

Anisotropic Model Materials, Fabrication of Birefringent — Ramamurthy Prabhakaran, 320-321 (Sept.).

Axial Loading of Composite Tubes, End-grip Configurations for — T. R. Guess and C. B. Haizlip, Jr., 31-36 (Jan.).

Behavior of Graphite/Epoxy Plates with Holes under Biaxial Loading — Isaac M. Daniel, 1-8 (Jan.).

Bending Strength of Gear Teeth, A New Look at the — I. M. Allison and E. J. Hearn, 217-225 (July).

Biaxial Loading, Behavior of Graphite/Epoxy Plates with Holes Under — Isaac M. Daniel, 1-8 (Jan.).

Biaxial Stresses on High-cycle Fatigue-crack Propagation, The Influence of — G. G. Garrett, P. R. G. Anderson and I. M. H. Charvat, 44-54 (Feb.).

Birefringent Anisotropic Model Materials, Fabrication of — Ramamurthy Prabhakaran, 320-321 (Sept.).

Birefringent-fluid-flow Method in Engineering — Hui Pih, 437-444 (Dec.).

Bleed Condenser, Photoelastic Investigation of a Channel Cover of — T. Narayanan, R. Narayanan and T. Sambandam, 309-315 (Sept.).

Combined Experimental and Numerical Method for the Solution of Generalized Elasticity Problems, A — Boris M. Barishpolsky, 345-349 (Oct.).

Combined-load Testing of the Space-shuttle Insulation at 1100°C — Michael F. Duggan, 350-356 (Oct.).

Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, A Dynamic Analysis of Modified — A. S. Kobayashi, K. Seo, J. Y. Jou and Y. Urabe, 73-79 (Mar.).

Complete Mechanical-property Characterization of a Single Composite Specimen, A — T. K. O'Brien and K. L. Reifsnider, 145-152 (May).

Composites, The Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced — J. M. Whitney and M. Knight, 211-216 (June).

Composite Materials, An Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to — R. Garcia, T. A. Weisshaar and R. R. McWhithey, 273-279 (Aug.).

Composite Materials, Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced — G. Waring, K. E. Hoffer Jr., I. Brown and R. E. Trabocco, 153-161 (May).

Composite Materials, Experimental Evaluation of the Slotted-tension Shear Test for — Michael F. Duggan, 232-239 (July).

Composite Plates, Response of, to Blast Loading — A. Rajamani and R. Prabhakaran, 245-250 (July).

Composite Specimen, A Complete Mechanical-property Characterization of a Single — T. K. O'Brien and K. L. Reifsnider, 145-152 (May).

Composite Tubes, End-grip Configurations for Axial Loading of — T. R. Guess and C. B. Haizlip, Jr., 31-36 (Jan.).

Cord-Rubber Composite, Interlaminar-shear Strain in a Two-ply Balanced — D. O. Stalnaker, R. H. Kennedy and J. L. Ford, 87-94 (Mar.).

Crack-path Directional Stability, An Experimental Investigation of — R. Streit and I. Finnie, 17-23 (Jan.).

Crack-tip Damage and Fracture Toughness of Borsic/Titanium Composite — J. Awerbuch and H. T. Hahn, 334-344 (Oct.).

Critical Evaluation of Numerical Solutions to the 'Benchmark' Surface-flaw Problem, A — Benchmark Editorial Committee of the SESA Fracture Committee, 253-264 (Aug.).

Deflection of Thin Plates with Overhang, The Large — H. C. Lee, C. K. Lim and H. D. Conway, 365-368 (Oct.).

Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced Composite Materials — G. Waring, K. E. Hoffer, Jr., I. Brown and R. E. Trabocco, 153-161 (May).

Designing with Scattered-light Photoelasticity — W. F. Swinson, J. L. Turner and W. F. Ranson, 397-402 (Nov.).

Determination of Strains in Photoelastic Coatings — A. J. Durelli and K. Rajaiah, 57-64 (Feb.).

Dynamic Analysis of Modified Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, A — A. S. Kobayashi, K. Seo, J. Y. Jou and Y. Urabe, 73-79 (Mar.).

Dynamic Method for the Determination of the Critical Load of Elastic Columns, A Nondestructive — A. Segall and M. Baruch, 285-288 (Aug.).

Dynamic Photoelasticity, An Introduction to — James W. Dally, 409-416 (Dec.).

Dynamic Strain Measurement, Temperature and Rise-time Effects on — W. J. Bagaria and W. N. Sharpe, Jr., 205-210 (June).

Dynamic Wave Propagation in a Single Lap Joint — L. W. Zachary and C. P. Burger, 162-166 (May).

Elastic Columns, A Nondestructive Dynamic Method for the Determination of the Critical Load of — A. Segall and M. Baruch, 285-288 (Aug.).

Elastic Response of Spherical Explosion-containment Vessels, Scaling Law for the — J. J. White, III and B. D. Trott, 174-177 (May).

Elasticity Problems, A Combined Experimental and Numerical Method for the Solution of Generalized — Boris M. Barishpolsky, 345-349 (Oct.).

Elastomeric Parts, Application of Finite-element Method to the Analysis of High-capacity Laminated — B. P. Gupta and R. H. Finney, 103-108 (Mar.).

Electrical Conductors While Under Tension, The Measurement of Flexural Stiffness of Multistranded — K. G. McConnell and W. P. Zempke, 198-204 (June).

Embedded Markers to Measure Strain in Extremely Soft Materials — Discussion by A. J. Durelli and K. Rajaiah, 251-252 (July).

End-grip Configurations for Axial Loading of Composite Tubes — T. R. Guess and C. B. Haizlip, Jr. 31-36 (Jan.).

Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to Composite Materials, An — R. Garcia, T. A. Weisshaar and R. R. McWhithey, 273-279 (Aug.).

Experimental Determination of K_I for Surface Cracks in a Square Tube Under Torsion — R. I. Stephens and G. Clinka, 24-30 (Jan.).

Experimental Evaluation of the Slotted-tension Shear Test for Composite Materials, An — Michael F. Duggan, 232-239 (July).

Experimental Investigation of Crack-path Directional Stability, An — R. Streit and I. Finnie, 17-23 (Jan.).

Failure of Unidirectional Fiber-reinforced Materials — New Methodology and Results — A. Voloshin and M. Arcan, 280-284 (Aug.).

Fatigue-crack Propagation, The Influence of Biaxial Stresses on High-cycle — G. G. Garrett, P. R. G. Anderson and I. M. H. Charvat, 44-54 (Feb.).

Fatigue-crack-tip Plastic Strains by the Stereo-imaging Technique — D. R. Williams, D. L. Davidson and J. Lankford, 134-139 (Apr.).

Fatigue Systems, Multi-specimen Fully Reversed, for Advanced Composite Materials, Design and Operation of — G. Waring, K. E. Hoffer, Jr., I. Brown and R. E. Trabocco, 153-161 (May).

Fatigue Testing of Riveted Joints, Resonant — Richard H. Marloff, 37-43 (Feb.).

Feasibility Study of Detecting Reinforcing-bar Debonding by Acoustic-emission Technique, A — A. S. Kobayashi, N. M. Hawkins, Y-L A. Chan and I-J Lin, 301-308 (Sept.).

Fiber-reinforced Materials—New Methodology and Results, Failure of Unidirectional — A. Voloshin and M. Arcan, 280-284 (Aug.).

Finite-element Method to the Analysis of High-capacity Laminated Elastomeric Parts, Application of — B. P. Gupta and R. H. Finney, 103-108 (Mar.).

Fluid Hopkinson Bar, The — Vernal K. Kenner, 226-232 (July).

Fracture Mechanics, Photoelasticity in — C. William Smith, 390-396 (Nov.).

Fracture Testing of PMMA Plates Having Flawed Fastener Holes, Static — T. E. Kullgren and F. W. Smith, 95-102 (Mar.).

Fracture Toughness of Borsic/Titanium Composite, Crack-tip Damage and — J. Awerbuch and H. T. Hahn, 334-344 (Oct.).

Fabrication of Birefringent Anisotropic Model Materials — Ramamurthy Prabhakaran, 320-321 (Sept.).

Gear Teeth, A New Look at the Bending Strength of — I. M. Allison and E. J. Hearn, 217-225 (July).

Geometrical Approach to Holographic Interferometry, A — W. J. Beranek and A. J. A. Bruinsma, 289-300 (Sept.).

Glass Composite, Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a — R. E. Rowlands, T. D. Dudderar, R. Prabhakaran and I. M. Daniel, 53-56 (Feb.).

Graphite/Epoxy Plates with Holes Under Biaxial Loading, Behavior of — Isaac M. Daniel, 1-8 (Jan.).

Holographic Interferometry, A Geometrical Approach to — W. J. Beranek and A. J. A. Bruinsma, 289-300 (Sept.).

Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a Glass Composite — R. E. Rowlands, T. D. Dudderar, R. Prabhakaran and I. M. Daniel, 53-56 (Feb.).

Holography, Focused-image, Localization of Fringes Produced by Rotation of the Recording Plate in — S. K. Chawla and C. A. Sciammarella, 240-244 (July).

INDEX

UMI

Holography, Photoelastic, A Modern Tool for Stress Analysis — Robert J. Sanford, 427-436 (Dec.).
Impact Damage on Titanium Leading Edges from Small Hard Objects — T. Nicholas, J. P. Barber and R. S. Bertke, 357-364 (Oct.).
Improved Oblique-incidence Technique for Principal-strain Separation in Photoelastic Coatings, An — Y. Y. Hung and M. G. Pottinger, 170-173 (May).
Influence of Biaxial Stresses on High-cycle Fatigue-crack Propagation, The — G. G. Garrett, P. R. G. Anderson and I. M. H. Charvat, 44-54 (Feb.).
Interferometry, Acoustical-speckle — J. A. Schaeffel, W. F. Ranson and W. F. Swinson, 109-117 (Apr.).
Interferometry, Holographic, A Geometrical Approach to — W. J. Beranek and A. J. A. Bruinsma, 289-300 (Sept.).
Interlaminar-shear Strain in a Two-ply Balanced Cord-Rubber Composite — D. O. Stalnaker, R. H. Kennedy and J. L. Ford, 87-94 (Mar.).
Interpretation of Photoviscoelastic/Plastic Data, An — James F. Doyle, 65-67 (Feb.).
Interpretation of Shadow-moiré Fringes, On the — Discussion by Richard E. Roger, 322-324 (Sept.).
Introduction to Dynamic Photoelasticity, An — James W. Dally, 409-416 (Dec.).
Investigation of a Vibrating Piezoelectric Ceramic Disk by Synthesis of Optical Coherent Methods — A. Rosenberg and J. Politch, 140-144 (Apr.).
Joint, Single Lap, Dynamic Wave Propagation in a — L. W. Zachary and C. P. Burger, 162-166 (May).
Joints, Resonant Fatigue Testing of Riveted — Richard H. Marloff, 37-43 (Feb.).
Large Deflection of Thin Plates with Overhang, The — H. C. Lee, C. K. Lim and H. D. Conway, 365-368 (Oct.).
Least-squares Method to Photoelastic Analysis, Application of the — Robert J. Sanford, 192-197 (June).
Lighter and Stronger — A. J. Durelli and K. Rajaiah, 369-380 (Nov.).
Localization of Fringes Produced by Rotation of the Recording Plate in Focused-image Holography — S. K. Chawla and C. A. Sciammarella, 240-244 (July).
Longitudinal Wave Propagation in Axisymmetric Structures with Material and/or Aereal Discontinuity — F. Barez, W. Goldsmith and J. L. Sackman, 325-333 (Oct.).
K_{Ic} and J-resistance-curve Measurements on Nevada Tuff — R. Weisinger, L. S. Costin and T. J. Lutz, 68-72 (Feb.).
K_I for Surface Cracks in a Square Tube Under Torsion, Experimental Determination of — R. I. Stephens and G. Glinka, 24-30 (Jan.).
Material and/or Aereal Discontinuity, Longitudinal Wave Propagation in Axisymmetric Structures with — F. Barez, W. Goldsmith and J. L. Sackman, 325-333 (Oct.).
Measurement of Flexural Stiffness of Multistranded Electrical Conductors While Under Tension, The — K. G. McConnell and W. P. Zempke, 198-204 (June).
Measurement of Strain Fields near Coldworked Holes — Gary L. Cloud, 9-16 (Jan.).
Measurement of Stress Distribution in Sandwich Beams Under Four-point Bending — K. Kemmochi and M. Uemura, 80-86 (Mar.).
Moiré Fringes, On the Interpretation of Shadow — Discussion by Richard E. Roger, 322-324 (Sept.).
Moiré-fringe Multiplication, On Replication for — R. E. Rowlands and J. H. Vallem, 167-169 (May).
Moiré-grating Photographs, Simple Optical Processing of — Gary L. Cloud, 265-272 (Aug.).
New Look at the Bending Strength of Gear Teeth, A — I. M. Allison and E. J. Hearn, 217-225 (July).
Nondestructive Dynamic Method for the Determination of the Critical Load of Elastic Columns, A — A. Segall and M. Baruch, 285-288 (Aug.).
Nonlinear Photomechanics — Christian P. Burger, 381-389 (Nov.).
Optical Coherent Methods, Investigation of a Vibrating Piezoelectric Ceramic Disk by Synthesis of — A. Rosenberg and J. Politch, 140-144 (Apr.).
Optical Constitutive Relations, A Unified Approach to — Discussion by Ramamurthy Prabhakaran, 178-180 (May).
Optical Processing of Moiré-grating Photographs, Simple — Gary L. Cloud, 265-272 (Aug.).
Photoelastic Analysis, Application of the Least-squares Method to — Robert J. Sanford, 192-197 (June).
Photoelastic Coatings — Alex S. Redner, 403-408 (Nov.).
Photoelastic Coatings, An Improved Oblique-incidence Technique for Principal-strain Separation in — Y. Y. Hung and M. G. Pottinger, 170-173 (May).
Photoelastic Coatings, Determination of Strains in — A. J. Durelli and K. Rajaiah, 57-64 (Feb.).
Photoelastic Holography—A Modern Tool for Stress Analysis — Robert J. Sanford, 427-436 (Dec.).
Photoelastic Investigation of a Channel Cover of Bleed Condenser — T. Narayanan, R. Narayanan and T. Sambandam, 309-315 (Sept.).
Photoelasticity, Designing with Scattered-light — W. F. Swinson, J. L. Turner and W. F. Ranson, 397-402 (Nov.).
Photoelasticity in Fracture Mechanics — C. William Smith, 390-396 (Nov).
Photoelasticity, Three-dimensional, by Stress Freezing — Jan Cernosek, 417-426 (Dec.).
Photomechanics, Nonlinear — Christian P. Burger, 381-389 (Nov.).
Photoplastic Materials, Yield Behavior of — J. L. F. Freire and W. F. Riley, 118-125 (Apr.).
Photoviscoelastic/Plastic Data, An Interpretation of — James F. Doyle, 65-67 (Feb.).
Piezoelectric Ceramic Disk by Synthesis of Optical Coherent Methods, Investigation of a Vibrating — A. Rosenberg and J. Politch, 140-144 (Apr.).
Plastic-zone Observation in Type 304 Stainless Steel in the Temperature Range of -196° to 950°, The Recrystallization Technique for Local — Yutaka Iino, 316-319 (Sept.).
Rail Shear-test Method as Applied to Composite Materials, An Experimental and Analytical Investigation of the — R. Garcia, T. A. Weisshaar and R. R. McWhithey, 273-279 (Aug.).
Range of Speckle Metrology, The — Vincent J. Parks, 181-191 (June).
Recrystallization Technique for Local Plastic-zone Observation in Type 304 Stainless Steel in the Temperature Range of -196° to 950°C, The — Yutaka Iino, 316-319 (Sept.).
Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced Composites, The — J. M. Whitney and M. Knight, 211-216 (June).
Replication for Moiré-fringe Multiplication, On — R. E. Rowlands and J. H. Vallem, 167-169 (May).
Resonant Fatigue Testing of Riveted Joints — Richard H. Marloff, 37-43 (Feb.).
Response of Composite Plates to Blast Loading — A. Rajamani and R. Prabhakaran, 245-250 (July).
Scaling Law for the Elastic Response of Spherical Explosion-containment Vessels — J. J. White, III and B. D. Trott, 174-177 (May).
Scattered-light Photoelasticity, Designing with — W. F. Swinson, J. L. Turner and W. F. Ranson, 397-402 (Nov.).
Simple Optical Processing of Moiré-grating Photographs — Gary L. Cloud, 265-272 (Aug.).
Speckle Metrology, The Range of — Vincent J. Parks, 181-191 (June).
Static Fracture Testing of PMMA Plates Having Flawed Fastener Holes — T. E. Kullgren and F. W. Smith, 95-102 (Mar.).
Stereo-imaging Technique, Fatigue-crack-tip Plastic Strains by the — D. R. Williams, D. L. Davidson and J. Lankford, 134-139 (Apr.).
Strain Fields Near Coldworked Holes, Measurement of — Gary L. Cloud, 9-16 (Jan.).
Stress Distribution in Sandwich Beams Under Four-point Bending, Measurement of — K. Kemmochi and M. Uemura, 80-86 (Mar.).
Stress Intensity and Flaw-shape Variations in Surface Flaws — C. William Smith, 126-133 (Apr.).
Surface Cracks in a Square Tube Under Torsion, Experimental Determination of K_I for — R. I. Stephens and G. Glinka, 24-30 (Jan.).
Surface-flaw Problem, A Critical Evaluation of Numerical Solutions to the 'Benchmark' — Benchmark Editorial Committee of the SESA Fracture Committee, 253-264 (Aug.).
Surface Flaws, Stress Intensity and Flaw-shape Variations in — C. William Smith, 126-133 (Apr.).
Temperature and Rise-time Effects on Dynamic Strain Measurement — W. J. Bagaria and W. N. Sharpe, Jr., 205-210 (June).
Three-dimensional Photoelasticity by Stress Freezing — Jan Cernosek, 417-426 (Dec.).
Titanium Leading Edges from Small Hard Objects, Impact Damage on — T. Nicholas, J. P. Barber and R. S. Bertke, 357-364 (Oct.).
Unified Approach to Optical Constitutive Relations, A — Discussion by Ramamurthy Prabhakaran, 178-180 (May).
Yield Behavior of Photoplastic Materials — J. L. F. Freire and W. F. Riley, 118-125 (Apr.).

AUTHOR INDEX

Allison, I. M. — A New Look at the Bending Strength of Gear Teeth, 217-225 (July).
Anderson, P. R. G. — The Influence of Biaxial Stresses on High-cycle Fatigue-crack Propagation, 44-52 (Feb.).
Arcan, M. — Failure of Unidirectional Fiber-reinforced Materials—New Methodology and Results, 280-284 (Aug.).
Awerbuch, J. — Crack-tip Damage and Fracture Toughness of Borsic/Titanium Composite, 334-345 (Oct.).
Bagaria, W. J. — Temperature and Rise-time Effects on Dynamic Strain Measurement, 205-210 (June).
Barber, J. P. — Impact Damage on Titanium Leading Edges from Small Hard Objects, 357-364 (Oct.).
Barez, F. — Longitudinal Wave Propagation in Axisymmetric Structures with Material and/or Aereal Discontinuity, 325-333 (Oct.).
Barishpolsky, B. M. — A Combined Experimental and Numerical Method for the Solution of Generalized Elasticity Problems, 345-349 (Oct.).
Baruch, M. — A Nondestructive Dynamic Method for the Determination of the Critical Load of Elastic Columns, 285-288 (Aug.).
Benchmark Editorial Committee of the SESA Fracture Committee — A Critical Evaluation of Numerical Solutions to the 'Benchmark' Surface-flaw Problem, 253-264 (Aug.).
Beranek, W. J. — A Geometrical Approach to Holographic Interferometry, 289-300 (Sept.).
Bertke, S. — Impact Damage on Titanium Leading Edges from Small Hard Objects, 357-364 (Oct.).
Brown, I. — Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced Composite Materials, 153-161 (May).
Bruinsma, A. J. A. — A Geometrical Approach to Holographic Interferometry, 289-300 (Sept.).
Burger, C. P. — Dynamic Wave Propagation in a Single Lap Joint, 162-166 (May).
Nonlinear Photomechanics, 381-389 (Nov.).
Cernosek, J. — Three-dimensional Photoelasticity by Stress Freezing, 417-426 (Dec.).
Chan, Y-L A. — A Feasibility Study of Detecting Reinforcing-bar Debonding by Acoustic-emission Technique, 301-308 (Sept.).
Charvat, I. M. H. — The Influence of Biaxial Stresses on High-cycle Fatigue-crack Propagation, 44-52 (Feb.).

Chawla, S. K. — Localization of Fringes Produced by Rotation of the Recording Plate in Focused-image Holography, 240-244 (July).
Cloud, G. I. — Measurement of Strain Fields near Coldworked Holes, 9-16 (Jan.).
Simple Optical Processing of Moiré-grating Photographs, 265-272 (Aug.).
Conway, H. D. — The Large Deflection of Thin Plates with Overhang, 365-368 (Oct.).
Costin, L. S. — K_{Ic} and J-resistance-curve Measurements on Nevada Tuff, 68-72 (Feb.).
Dally, J. W. — An Introduction to Dynamic Photoelasticity, 409-416 (Dec.).
Daniel, I. M. — Behavior of Graphite/Epoxy Plates with Holes under Biaxial Loading, 1-8 (Jan.).
Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a Glass Composite, 53-56 (Feb.).
Davidson, D. L. — Fatigue-crack Plastic Strains by the Stereoimaging Technique, 134-139 (Apr.).
Doyle, J. F. — An Interpretation of Photoviscoelastic/Plastic Data, 65-67 (Feb.).
Dudderar, T. D. — Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a Glass Composite, 53-56 (Feb.).
Duggan, M. F. — An Experimental Evaluation of the Slotted-tension Shear Test for Composite Materials, 233-239 (July).
Combined-load Testing of the Space-shuttle Insulation at 1100 °C, 350-356 (Oct.).
Durelli, A. J. — Determination of Strains in Photoelastic Coatings, 57-64 (Feb.).
Embedded Markers to Measure Strain in Extremely Soft Materials, Discussion, 251-252 (July).
Lighter and Stronger, 369-380 (Nov.).
Finney, R. H. — Application of Finite-element Method to the Analysis of High-capacity Laminated Elastomeric Parts, 103-108 (Mar.).
Finnie, I. — An Experimental Investigation of Crack-path Directional Stability, 17-23 (Jan.).
Ford, J. L. — Interlaminar-shear Strain in a Two-ply Balanced Cord-Rubber Composite, 87-94 (Mar.).
Freire, J. L. F. — Yield Behavior of Photoplastic Materials, 118-125 (Apr.).
Garcia, R. — An Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to Composite Materials, 273-279 (Aug.).
Garrett, G. G. — The Influence of Biaxial Stresses on Highcycle Fatigue-crack Propagation, 44-52 (Feb.).
Glinka, G. — Experimental Determination of K_I for Surface Cracks in a Square Tube Under Torsion, 24-30 (Jan.).
Goldsmith, W. — Longitudinal Wave Propagation in Axisymmetric Structures with Material and/or Aereal Discontinuity, 325-333 (Oct.).
Guess, T. I. End-grip Configurations for Axial Loading of Composite Tubes, 31-36 (Jan.).
Gupta, B. F. — Application of Finite-element Method to the Analysis of High-capacity Laminated Elastomeric Parts, 103-108 (Mar.).
Hahn, H. T. — Crack-tip Damage and Fracture Toughness of Borsic/Titanium Composite, 334-345 (Oct.).
Haizlip, C. B. — End-grip Configurations for Axial Loading of Composite Tubes, 31-36 (Jan.).
Hawkins, N. M. — A Feasibility Study of Detecting Reinforcing-bar Debonding by Acoustic-emission Technique, 301-308 (Sept.)
Hearn, E. J. — A New Look at the Bending Strength of Gear Teeth, 217-225 (July).
Hung, Y. Y. — An Improved Oblique-incidence Technique for Principal-strain Separation in Photoelastic Coatings, 170-173 (May).
Hoffer, Jr., K. E. Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced Composite Materials, 153-161 (May).
Iino, Y. — The Recrystallization Technique for Local Plastic-zone Observation in Type 304 Stainless Steel in the Temperature Range of -196° to 950 °C, 316-319 (Sept.).
Jou, J. Y. — A Dynamic Analysis of Modified Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, 73-79 (Mar.).
Kemmochi, K. — Measurement of Stress Distribution in Sandwich Beams Under Four-point Bending, 80-86 (Mar.).
Kennedy, R. H. — Interlaminar-shear Strain in a Two-ply Balanced Cord-Rubber Composite, 87-94 (Mar.).
Kenner, V. H. — The Fluid Hopkinson Bar, 226-232 (July).
Knight, M. — The Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced Composites, 211-216 (June).
Kobayashi, A. S. — A Dynamic Analysis of Modified Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, 73-79 (Mar.).
A Feasibility Study of Detecting Reinforcing-bar Debonding by Acoustic-emission Technique, 301-308 (Sept.).
Kullgren, T. E. — Static Fracture Testing of PMMA Plates Having Flawed Fastener Holes, 95-102 (Mar.).
Lankford, J. — Fatigue-crack-tip Plastic Strains by the Stereoimaging Technique, 134-139 (Apr.).
Lee, H. C. — The Large Deflection of Thin Plates with Overhang, 365-368 (Oct.).
Lim, C. K. — The Large Deflection of Thin Plates with Overhang, 365-368 (Oct.).
Lin, I-J — A Feasibility Study of Detecting Reinforcing-bar Debonding by Acoustic-emission Technique, 301-308 (Sept.).
Lutz, T. J. — K_{Ic} and J-resistance-curve Measurements on Nevada Tuff, 68-72 (Feb.).
Marloff, R. H. — Resonant Fatigue Testing of Riveted Joints, 37-43 (Feb.).
McConnell, K. G. — The Measurement of Flexural Stiffness of Multi-stranded Electrical Conductors While Under Tension, 198-204 (June).
McWhithey, R. R. — An Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to Composite Materials, 273-279 (Aug.).
Narayanan, R. — Photoelastic Investigation of a Channel Cover of Bleed Condenser, 309-315 (Sept.).
Narayanan, T. — Photoelastic Investigation of a Channel Cover of Bleed Condenser, 309-315 (Sept.).
Nicholas, T. — Impact Damage on Titanium Leading Edges from Small Hard Objects, 357-364 (Oct.).
O'Brien, T. K. — A Complete Mechanical-property Characterization of a Single Composite Specimen, 145-152 (May).
Parks, V. J. — The Range of Speckle Metrology, 181-191 (June).
Pih, H. — Birefringent-fluid-flow Method in Engineering, 437-444 (Dec.).
Politch, J. — Investigation of a Vibrating Piezoelectric Ceramic Disk by Synthesis of Optical Coherent Methods, 140-144 (Apr.).
Pottinger, M. G. — An Improved Oblique-incidence Technique for Principal-strain Separation in Photoelastic Coatings, 170-173 (May).
Prabhakaran, R. — Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a Glass Composite, 53-56 (Feb.).
A Unified Approach to Optical Constitutive Relations, Discussion, 178-180 (May).
Response of Composite Plates to Blast Loading, 245-250 (July).
Fabrication of Birefringent Anisotropic Model Materials, 320-321 (Sept.).
Rajaiah, K. — Determination of Strains in Photoelastic Coatings, 57-64 (Feb.).
Embedded Markers to Measure Strain in Extremely Soft Materials, Discussion, 251-252 (July).
Lighter and Stronger, 369-380 (Nov.).
Rajamani, A. — Response of Composite Plates to Blast Loading, 245-250 (July).
Ranson, W. F. — Acoustical-speckle Interferometry, 109-117 (Apr.).
Designing with Scattered-light Photoelasticity, 397-402 (Nov.).
Redner, A. S. — Photoelastic Coatings, 403-408 (Nov.).
Reifsnider, K. L. — A Complete Mechanical-property Characterization of a Single Composite Specimen, 145-152 (May).
Riley, W. F. — Yield Behavior of Photoplastic Materials, 118-125 (Apr.).
Roger, R. E. — On the Interpretation of Shadow-moiré Fringes, Discussion, 322-324 (Sept.).
Rosenberg, A. — Investigation of a Vibrating Piezoelectric Ceramic Disk by Synthesis of Optical Coherent Methods, 140-144 (Apr.).
Rowlands, R. E. — Holographically Determined Isopachics and Isochromatics in the Neighborhood of a Crack in a Glass Composite, 53-56 (Feb.).
On Replication for Moiré-fringe Multiplication, 167-169 (May).
Sackman, J. L. — Longitudinal Wave Propagation in Axisymmetric Structures with Material and/or Aereal Discontinuity, 325-333 (Oct.).
Sambandam, T. — Photoelastic Investigation of a Channel Cover of Bleed Condenser, 309-315 (Sept.).
Sanford, R. J. — Application of the Least-squares Method to Photoelastic Analysis, 192-197 (June).
Photoelastic Holography — A Modern Tool for Stress Analysis, 427-436 (Dec.)
Schaeffel, J. A. — Acoustical-speckle Interferometry, 109-117 (Apr.).
Sciammarella, C. A. — Localization of Fringes Produced by Rotation of the Recording Plate in Focused-image Holography, 240-244 (July).
Segall, A. — A Nondestructive Dynamic Method for the Determination of the Critical Load of Elastic Columns, 285-288 (Aug.).
Seo, K. — A Dynamic Analysis of Modified Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, 73-79 (Mar.).
Sharpe, W. N. Jr. — Temperature and Rise-time Effects on Dynamic Strain Measurement, 205-210 (June).
Smith, C. W. — Stress Intensity and Flaw-shape Variations in Surface Flaws, 126-133 (Apr.).
Photoelasticity in Fracture Mechanics, 390-396 (Nov.).
Smith, F. W. — Static Fracture Testing of PMMA Plates Having Flawed Fastener Holes, 95-102 (Mar.).
Stalnaker, D. O. — Interlaminar-shear Strain in a Two-ply Balanced Cord-Rubber Composite, 87-94 (Mar.).
Stephens, R. I. — Experimental Determination of K_I for Surface Cracks in a Square Tube Under Torsion, 24-30 (Jan.).
Streit, R. — An Experimental Investigation of Crack-path Directional Stability, 17-23 (Jan.).
Swinson, W. F. — Acoustical-speckle Interferometry, 109-117 (Apr.).
Designing with Scattered-light Photoelasticity, 397-402 (Nov.).
Trabocco, R. E. — Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced Composite Materials, 153-161 (May).
Trott, B. D. — Scaling Law for the Elastic Response of Spherical Explosion-containment Vessels, 174-177 (May).
Turner, J. L. — Designing with Scattered-light Photoelasticity, 397-402 (Nov.).
Uemura, M. — Measurement of Stress Distribution in Sandwich Beams Under Four-point Bending, 80-86 (Mar.).
Urabe, Y. — A Dynamic Analysis of Modified Compact-tension Specimens Using Homalite-100 and Polycarbonate Plates, 73-79 (Mar.).
Vallem, J. H. — On Replication for Moiré-fringe Multiplication, 167-169 (May).
Voloshin, A. — Failure of Unidirectional Fiber-reinforced Materials—New Methodology and Results, 280-284 (Aug.).
Waring, G. — Design and Operation of Multi-specimen Fully Reversed Fatigue Systems for Advanced Composite Materials, 153-161 (May).
Weisinger, L. A. — K_{Ic} and J-resistance-curve Measurements on Nevada Tuff, 68-72 (Feb.).
Weisshaar, T. A. — An Experimental and Analytical Investigation of the Rail Shear-test Method as Applied to Composite Materials, 273-279 (Aug.).
White III, J. J. — Scaling Law for the Elastic Response of Spherical Explosion-containment Vessels, 174-177 (May).
Whitney, J. M. — The Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced Composites, 211-216 (June).
Williams, D. R.— Fatigue-crack-tip Plastic Strains by the Stereoimaging Technique, 134-139 (Apr.).
Zachary, L. W. — Dynamic Wave Propagation in a Single Lap Joint, 162-166 (May).
Zempke, W. P. — The Measurement of Flexural Stiffness of Multi-stranded Electrical Conductors While Under Tension, 198-204 (June).

professional services

CONSULTING • RESEARCH • TESTING

Professionals in
Stress Analysis

Engineering Methods Inc.
301 North 5th Street
Lafayette, IN 47901
317/742-0047

Engineering Specifics Association
901 East 27th St.
Long Beach, Calif. 90806
Tel. 213-427-1128

Services we offer in the field of experimental stress analysis:

Strain gaging:
1. ambient, cryogenic, elevated temperature
2. fatigue, high elongation, high impulse
3. consulting

Photoelasticity:
1. coating application
2. consulting

Brittle lacquer coating:
1. application
2. consulting

SPRING MEETING AND EXPOSITION

TRANSPORTATION/AUTOMOBILE MEETING
SESA
GETTING THERE WITH
1981
SPONSORED BY SOUTHERN MICHIGAN SECTION

May 31 – June 5
Hyatt Regency Hotel

DEARBORN, MICHIGAN

index to advertisers

PAGE		PAGE	
38N	Acton Environmental Testing Corp.	15N	Measurements Technology, Inc.
38N	Addelco Corporation	Inside Back Cover	MTS Systems Corp.
10N	W. T. Bean, Inc.	2N	Newport Research Corp.
16N	Bruel & Kjaer Instruments	8N	Nicolet Instruments Corp.
10N	Datacraft, Inc.	11N	Nicolet Scientific Corp.
5N	Dynatup (E.T.I.)	13N	Nicolet Scientific Corp.
37N	Engineering Methods, Inc.	15N	Norland Instrument Corporation
37N	Engineering Specifics, Associates	12N	Optim Electronics Corp.
7N	GenRad	13N	PCB Piezotronics, Inc.
38N	Hitec Corporation	32N	R. P. Rita Personnel Systems
38N	Lambda Research, Inc.	15N	Stress Strain Laboratories
15N	Lee Labs, Inc.	38N	Harry J. Sweet & Associates
38N	Littleton Research & Engineering Corp.	38N	Teledyne Engineering Services
32N	Martin Marietta Aerospace Corp.	12N	Underwood & Associates
Inside Front Cover	Measurements Group	38N	Underwood & Associates
Outside Back Cover	Measurements Group	11N	Vibration Test Systems
		14N	Wilcoxon Research Corp.